

FIG. 1




FIG. 2




FIG. 3




FIG. 4





FIG. 5

Channel Bit Rate(kbps)	Channel Symbol Rate(ksps)	SF	Bits/ Frame	Bits/ Slot	N <sub>pilot</sub>	N <sub>TPC</sub>	N <sub>TFCI</sub>	N <sub>FBI</sub>
16	16	256	160	10	6	2	2	0
16	16	256	160	10	8	2	0	0
16	16	256	160	10	5	2	2	1
16	16	256	160	10	7	2	0	1
16	16	256	160	10	[6]	[2]	[0]	[2]
16	16	256	160	10	[5]	[1]	[2]	[2]

FIG. 6

		]	Npilot	=6						Npilot	=8			
Bit #	0	1	2	3	4	5	0	1	2	3	4	5	6	7
slot #1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2	1	1	1	1	0	1	1	1	1	1	1	0	1	1
3	1	0	1	1	0	1	1	0	1	1	1	0	1	1
4	1	1	0	1	0	1	1	1	1	0	1	0	1	1
5	1	1	0	1	1	1	1	1	1	0	1	1	1	1
6	1	1	0	1	1	1	1	1	1	0	1	1	1	1
7	1	0	1	1	0	0	1	0	1	1	1	0	1	0
8	1	1	0	1	0	1	1	1	1	0	1	0	1	1
9	1	1	1	1	0	0	1	1	1	1	1	0	1	0
10	1	0	1	1	0	1	1	0	1	1	1	0	1	1
11	1	1	1	1	1	0	1	1	1	1	1	1	1	0
12	1	0	1	1	0	1	1	0	1	1	1	0	1	1
13	1	0	0	1	0	1	1	0	1	0	1	0	1	1
14	1	1	0	1	0	0	1	1	1	0	1	0	1	0
15	1	0	1	1	0	0	1	0	1	1	1	0	1	0
16	1	0	0	1	0	0	1	0	1	0	1	0	1	0

FIG. 7






FIG. 9

Symbol rate	8ks	ps	16,32	,64,	128	ksps		ę F	256,	512,	102	4ks	ps	
Symbol #	0	1	0	1	2	3	0	1	2	3	4	5	6	7
Slot #1	11	11	11		11	11	11		11	11	11	11	11	10
2	11	11	11	11	11	01	11	10	11	10	11	10	11	01
3	11	10	11	01	11	01	11	10	11	01	11	11	11	01
4	11	01	11	10	11	01	11	11	11	01	11	00	11	10
5	11	10	11	10	11	11	11	. 11	11	00	11	01	11	10
6	11	10	11	10	11	11	11	. 11	11	11	11	01	11	10
7	11	01	11	01	11	00	11	. 10	11	11	11	01	11	10
8	11	00	11	10	11	01	11	. 01	11	00	11	10	11	00
9	11	00	11	11	11	00	11	. 11	11	10	11	00	11	01
10	11	10	11	01	11	01	1	01	11	11	11	11	11	00
11	11	10	11	11	11	10	1	10	11	10	11	11	11	10
12	11	11	11	01	11	01	1.	01	11	10	11	10	11	00
13	11	10	11	00	11	01	1	10	11	01	11	11	11	10
14	11	11	11	10	11	00	1	1 00	11	10	11	10	11	00
15	11	00	11	01	11	00	1	1 01	11	10	11	00	11	00
16	11	00	11	00	11	00	1	1 10	11	00	11	00	11	00

FIG. 10

FIG. 11A




FIG. 11B





FIG. 12A

Frame Synchronization Words
Slot Number 12345L
$C_1 = (1 \ 1 \ 0 \ 1 \ 1 \ 1 \ 1 \ 0 \ 0 \ 0 \ $
C <sub>2</sub> = (1 0 0 0 1 0 1 0 0 1 1 1 0 1 0 1)
$C_3 = (1 \ 1 \ 0 \ 1 \ 1 \ 0 \ 0 \ 0 \ 0 \ 1 \ 0 \ 0$
$C_4 = (0111011010001001)$
$C_5 = (1\ 0\ 1\ 1\ 0\ 0\ 0\ 0\ 0\ 1\ 1\ 1\ 1)$
$C_6 = (1 \ 1 \ 1 \ 0 \ 0 \ 1 \ 0 \ 1 \ 0 \ 1 \ 0 \ 1 \ 0)$
$C_7 = (0100001110111100)$
$C_8 = (1 \ 1 \ 1 \ 0 \ 1 \ 0 \ 0 \ 1 \ 0 \ 0 \ $

FIG. 12B

$R(\tau)$ $\tau$	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
$R_{\rm E}(\tau)$	16	4	0	4	0	-4	0	-4	-16	-4	0	-4	0	4	0	4
$R_{F}(\tau)$	16	-4	0	-4	0	4	0	4	-16	4	0	4	0	-4	0	-4
$R_{G}(\tau)$	16	4	0	-4	0	4	0	-4	-16	-4	0	4	0	-4	0	4
$R_{H}(\tau)$	16	-4	0	4	0	-4	0	4	-16	4	0	-4	0	4	0	$\left -4\right $
									<u></u>				<u> </u>			
•				F	$\dot{\xi}_1$							F	$R_2$			

FIG. 13A



## FIG. 13B




FIG. 14A

		N <sub>pi</sub>	lot = 5	)			N <sub>pi</sub>	$_{lot} = 6$			
Bit #	0	1	2	3	4	0	1	2	3	4	5
Slot #1	1	1	1	1	0	1	1	1	1	1	0
2	1	0	1	1	1	1	1	0	1	1	1
3 ·	0	0	1	0	1	1	0	0	1	0	1
4	1	0	1	1	1	1	1	0	1	1	1
5	1	1	1	1	0	1	1	1	1	1	0
6	1	0	1	1	1	1	1	0	1	1	1
7	1	1	1	0	1	1	1	1	1	0	1
8	1	0	1	0	0	1	1	0	1	0	0
9	0	0	1	0	1	1	0	0	1	0	1
10	0	1	1	0	0	1	0	1	1	0	0
11	1	1	1	1	0	1	1	1	1	1	0
12	0	1	1	0	0	1	0	1	1	0	0
13	0	0	1	0	1 ,	1	0	0	1	0	1
14	0	1	1	0	0	1	0	1	1	0	0
15	0	0	1	1	0	1	0	0	1	1	0
16	0	1	1	1	1	1_	0	1	1	1	1

FIG. 14B

			Npi	lot =	7			 	•	Npilo	<sub>ot</sub> =	8			
Bit #	0	1	2	3	4	5	6	0	1	2	3	4	5	6	7
Slot #1	1	1	1	1	1	0	1	1	1	1	1	1	1	1	0
2	1	1	0	1	1	1	1	1	1	1.	0	1	1	1	1
3	1	0	0	1	0	1	1	1	0	1	0	1	0	1	1
4	1	1	0	1	1	1	1	1	1	1	0	1	1	1	1
5	1	1	1	1	1	0	1	1	1	1	1	1	1	1	0
6	1	1	0	1	1	1	1	1	1	1	0	1	1	1	1
7	1	1	1	1	0	1	1	1	1	1	1	1	0	1	1
8	1	1	0	1	0	0	1	1	1	1	0	1	0	1	0
9	1	0	0	1	0	1	1	1	0	1	0	1	0	1	1
10	1	0	1	1	0	0	1	1	0	1	1	1	.0	1	0
11	1	1	1	1	1	0	1	1	1	1	1	1	1	1	0
12	1	0	1	1	0	0	1	1	0	1	1	1	0	1	0
13	1	0	0	1	0	1	1	1	0	1	0	1	0	1	1
14	1	0	1	1	0	0	1	1	0	1	1	1	0	1	0
15	1	0	0	1	1	0	1	1	0	1	0	1	1	1	0
16	1	0	1	1	1	1	1	_1	0	1	1	1	1	1	1

FIG. 14C

Npilot	Pilot bit position #	Corresponding word of length 16
	0	C <sub>1</sub>
_	1	C <sub>2</sub>
5	3	Сз
	4	C <sub>4</sub>
	1	C <sub>1</sub>
	2	C2
6	4	Сз
	5	C4
,	1	C <sub>1</sub>
	2	C2
7	4	Сз
	5	C4
	1	C <sub>1</sub>
0	3	C <sub>2</sub>
8	5	C <sub>3</sub>
	. 7	C4

FIG. 14D




FIG. 14E

	$R_{\mathbf{x}}$ $(0)$	R <sub>x</sub> (1)	R <sub>x</sub> (2)	R <sub>x</sub> (3)	$\begin{pmatrix} R_x \\ 4 \end{pmatrix}$	R <sub>x</sub> (5)	R <sub>x</sub> (6)	Rx (7)	R <sub>x</sub> (8)	R <sub>x</sub> (9)	₽ (10)	R <sub>x</sub> 11) (	R <sub>x</sub> 12)	R <sub>x</sub> (13)	R <sub>x</sub> (14)	R <sub>x</sub> (15)
A <sub>1</sub> POINT	16	4	0	4	0	-4	0	-4	-16	-4	0	-4	0	4	0	4
A2 POINT	16	-4	0	-4	0	4	0	4	-16	4	0	4	0	-4	0	-4
A3 POINT	16	4	0	4	0	-4	0	-4	-16	-4	0	-4	0	4	0	4
A <sub>4</sub> POINT	16	-4	0	-4	0	4	0	4	-16	4	0	4	0	-4	0	-4
B POINT	64	0	0	0	0	0	0	0	-64	0	0	0	0	0	0	0

FIG. 14F

	R <sub>x</sub> (0)	R <sub>x</sub> (1)	R <sub>x</sub> (2)	R <sub>x</sub> (3)	R <sub>x</sub> (4)	R <sub>x</sub> (5)	R <sub>x</sub> (6)	R <sub>x</sub> (7)	R <sub>x</sub> (8)	R <sub>x</sub> (9)	₽ (10)(		R <sub>x</sub> 12)	R <sub>x</sub> (13)	R <sub>x</sub> (14)	R <sub>x</sub> (15)
A1 POINT +A2 POINT	32	0	0	0	0	0	0	0	-32	0	0	0	0	0	0	
A3 POINT +A4 POINT	32	0	0	0	0	0	0	0	-32	0	0	0	0	0	0	0
A <sub>1</sub> POINT +A <sub>4</sub> POINT	32	0	0	0	0	0	0	0	-32	0	0	0	0	0	0	0
Az POINT +A3 POINT		0	0	0	0	0	0	0	-32	0	0	0	0	0	0	0

FIG. 14G




FIG. 14H




FIG. 14I

	$R_{\mathbf{x}}$ $(0)$	R <sub>x</sub> (1)	R <sub>x</sub> (2)	R <sub>x</sub> (3)	$R_{\mathbf{x}}$ $(4)$	R <sub>x</sub> (5)	R <sub>x</sub> (6)	R <sub>x</sub> (7)	R <sub>x</sub> (8)	R <sub>x</sub> (9)	₽ (10)	R <sub>x</sub> 11) (	R <sub>x</sub> 12)	R <sub>x</sub> (13)	R <sub>x</sub> (14)	R <sub>x</sub> (15)
A <sub>1</sub> POINT	16	-4	-4	8	0	-4	0	0	-4	0	0	-4	0	8	-4	-4
A2 POINT	16	0	0	-4	-4	-4	0	0	12	0	0	-4	-4	-4	0	0
A3 POINT	16	4	0	0	4	8	8	0	0	0	8	8	4	0	0	4
A4 POINT	16	0	4	-4	0	0	-4	4	0	4	-4	0	0	-4	4	0
B POINT	64	0	0	0	0	0	4	4	8	4	4	0	0	0	0	0

FIG. 14J




FIG. 15A

	N <sub>pilot</sub>	=4		$N_{ m pilot}$	= 8	3			N	pilot '	=16			
Symbol #	0	1	0	1 2		3	0	1	2	3	4	5	6	7
Slot #1	11	11	11	11 13	1	10	11	11	11	10	11	11	11	01
"2	11	10	11	10 13	1	11	11	10	11	11	11	01	11	11
3	11	00	11	00 1	1	01	11	00	11	01	11	11	11	01
4	11	10	11	10 1	1	11	11	10	11	11	11	10	11	00
5	11	11	11	11 1	1	10	11	11	11	10	11	00	11	01
6	11	10	11	10 1	1	11	11	10	11	11	11	01	11	00
7	11	11	11	11 1	1	01	11	11	11	01	11	00	11	10
8	11	10	11	10 1	1	00	11	10	11	00	11	01	11	11
9	11	00	11	00 1	.1	01	11	00	11	01	11	00	11	10
10	11	01	11	01 1	1	00	11	01	11	00	11	10	11	00
11	11	11	11	11 1	1	10	11	11	11	10	11	00	11	10
12	11	01	11	01 1	1	00	11	01	11	00	11	01	11	11
13	11	00	11	00 1	11	01	11	00	11	01	11	11	11	10
14	11	01	11	01 3	11	00	11	01	11	00	11	10	11	11
15	11	00	11	00 3	11	10	11	00	11	10	11	11	11	01
16	11	01	11	01	11	11	11	01	11	11	11	10	11	00

FIG. 15B

Symbol rate	Symbol #	Channel	Corresponding word of length L=16
	4	I-CH	C <sub>1</sub>
$N_{pilot} = 4$	<u> </u>	Q-CH	C <sub>2</sub>
	1	I-CH	C <sub>1</sub>
N O	1	Q-CH	C <sub>2</sub>
$N_{pilot} = 8$		I-CH	C <sub>3</sub>
	3	Q-CH	C <sub>4</sub>
,	4	I-CH	C <sub>1</sub>
	1	Q-CH	C <sub>2</sub>
	0	I-CH	С3
	3	Q-CH	C4
$N_{pilot} = 16$	_	I-CH	C <sub>5</sub>
	5	Q-CH	C <sub>6</sub>
	7	I-CH	C <sub>7</sub>
		Q-CH	Св

FIG. 15C




FIG. 16A

		<del></del>		
Symbol #	0	1	2	3
Slot #1	11	11	11	10
2	11	10	11	11
3	11	00	11	01
4	11	10	11	11
5	11	11	11	10
6	11	10	11	11
7	11	11	11	01
8	11	10	11	00
9	11	00	11	01
10	11	01	11	00
11	11	11	11	10
12	11	01	11	00
13	11	00	11	01
14	11	01	11	00
15	11	00	11	10
16	11	01	11	11

FIG. 16B

Symbol #	Channel	Corresponding word of length 16
4	I-CH	$C_1$
1	Q-CH	C2
	I-CH	Сз
3	Q-CH	C <sub>4</sub>

FIG. 16C

Symbol rate	N	pilot	=3				N	oilot =	= 16	) )		
Symbol #	0	1	2	3	0	1	2	3	4	5	6	7
Slot #1	11	11	11	10	11	11	11	10	11	11	11	01
2	11	10	11	11	11	10	11	11	11	01	11	11
3	11	00	11	01	11	00	11	01	11	11	11	01
4.	11	10	11	11	11	10	11	11	11	10	11	00
5	11	11	11	10	11	11	11	10	11	0,0	11	01
6	11	10	11	11	11	10	11	11	11	01	11	00
7	11	11	11	01	. 11	11	11	01	11	00	11	10
8	11	10	11	00	11	10	11	00	11	01	11	11
9	11	00	11	01	11	00	11	01	11	00	11	10
10	11	01	11	00	11	01	11	00	11	10	11	00
11	11	11	11	10	11	11	11	10	11	00	11	10
12	11	01	11	00	11	01	11	00	11	01	11	11
13	11	00	11	01	11	00	11	01	11	11	11	10
14	11	01	11	00	11	01	11	00	11	10	11	11
15	11	00	) 11	10	11	00	11	10	11	11	11	01
16	11	01	11	11	11	01	11	11	11	10	11	00

FIG. 16D

Symbol rate	Symbol #	Channel	Corresponding word of length L=16
	1	I-CH	$C_1$
λī _ Q	1	Q-CH	C <sub>2</sub>
$N_{pilot} = 8$		I-CH	Сз
	3	Q-CH	·C4
	1	I-CH	$C_1$
	1	Q-CH	C <sub>2</sub>
·	3	I-CH	C <sub>3</sub>
NT 40	3	Q-CH	C4
$N_{pilot} = 16$	5	I-CH	C <sub>5</sub>
	5	Q-CH	C <sub>6</sub>
	. 7	I-CH	C <sub>7</sub>
	(	Q-CH	Св

FIG. 17A




FIG. 17B




FIG. 17C




FIG. 18A

Parameters	Downlink
Slot per frame	16
Number of bits in the DPCCH (Pilot/TPC/TFCI)	4/2/0
Number of bits in the DPDCH per each slot	4
Spreading Factor (DPDCH)	512
Spreading factor (DPCCH)	512
Modulation	QPSK
3dB bandwidth	4.096MHz
Shaping filter	Root raised cosine (roll off 0.22)
Power amplifier	Ideal
Propogation channel	AWGN

FIG. 18B




FIG. 18C




FIG. 18D




FIG. 19A

	Npilot	= 4		Npilot	= 8				N	pilot =	- 16			
Symbol #	0	1	0	1	2	3	0	1	2	3	4	5	6	7
Slot #1	01	10	11	00	00	10	11	00	00	10	11	11	00	10
2	00	10	11	01	00	11	11	01	00	11	11	01	00	00
3	10	10	11	11	00	01	11	11	00	01	11	11	00	10
4	00	10	11	01	00	11	11	01	00	11	11	10	00	11
5	01	10	11	00	00	10	11	00	00	10	11	11	00	01
6	00	10	11	01	00	11	11	01	00	11	11	10	00	00
7	01	10	11	11	00	10	11	11	00	10	11	00	00	01
8	00	10	11	10	00	11	11	10	00	11	11	01	00	00
9	10	10	11	11	00	01	11	11	00	01	11	00	00	01
10	11	10	11	10	00	00	11	10	00	00	11	10	00	11
11	01	10	11	00	00	10	11	00	00	10	11	. 00	00	01
12	11	10	11	10	00	00	11	10	00	00	11	01	00	00
13	10	10	11	11_	00	01	11	11	00	01	11	00	00	10
14	11	10	11	10	00	00	11	10	00	00	11	01	00	11
15	10	10	11	00	00	01	11	00	00	01	11	11	00	10
16	11	10	11	01	00	00	11	01	00	00	11	10	00	11

FIG. 19B

Symbol rate	Symbol #	Channel	Corresponding word of length 16
		I - CH	-C1
Npilot = 4	0	Q - CH	C2
		I – CH	-Сз
	1	Q - CH	C4
Npilot = 8		I - CH	Cı
	3	Q - CH	-C2
		I - CH	—Сз
	1	Q - CH	C4
	2	I - CH	Cı
	3	Q - CH	-C2
Npilot = 16		I – CH	-C7
	5	Q - CH	Ca
	~	I - CH	C <sub>5</sub>
	7	Q - CH	— C a

FIG. 19C

Symbol #	0	1	2	3
Slot #1	11	11	00	01
2	11	10	00	00
3	11	00	00	10
4	11	10	00	00
5	11	11	00	01
6	11	10	00	00
7	11	11	00	10
8	11	10	00	11
9	11	00	00	10
10	11	01	00	11
11	11	11	00	01
12	11	01	00	11
13	11	00	00	10
14	11	01	00	11
15	11	00	00	01
16	11	01	00	00

FIG. 19D

Symbol rate	Channel	Corresponding word of length 16
1	I - CH	Cı
1	Q - CH	Cz
0	I – CH	—Сз
3	Q - CH	-C4

FIG. 19E

		Npilot	t = 8 Npilot = 16				-					
Symbol #	0	1	2	3	0	1	2	3	4	5	6	7
Slot #1	11	00	00	10	11	00	00	10	11	11	00	10
2	11	01	00	11	11	01	00	11	11	01	00	00
3	11	11	00	01	11	11	00	01	11	11	00	10
4	11	01	00	11	11	01	00	11	11	10	00	11
5	11	00	00	10	11	00	00	10	11	11	00	01
6	11	01	00	11	11	01	00	11	11	10	00	00
7	11	11	00	10	11	11	00	10	11	00	00	01
8	11	10	00	11	11	10	00	11	11	01	00	00
9	11	11	00	01	11	11	00	01	11	00	00	01
10	11	10	00	00	11	10	00	00	11	10	00	11
11	11	00	00	10	11	00	00	10	11	00	00	01
12	11	10	00	00	11	10	00	00	11	01	00	00
13	11	11	00	01	11	11	00	01	11	00	00	10
14	11	10	00	00	11	10	00	00	11	01	00	11
15	11	00	00	01	11	00	00	01	11	11	00	10
16	11	01	00	00	11	01	00	00	11	10	00	i1

FIG. 19F

Symbol rate	Symbol #	Channel	Corresponding word of length 16
	4	I - CH	-Сз
Npilot = 8		Q - CH	C4
Mbmor = 0	3	I - CH	Ci
		Q - CH	-C2
	1	I - CH	-Сз
Ŀ	1	Q - CH	C4
	′ 3	I - CH	Cı
Npilot = 16	ວ	Q - CH	-C2
14bnoc = 10	5	I - CH	-C7
	J	Q - CH	Св
	7	I - CH	C5
		Q - CH	-Cs

FIG. 20A

Sequence	Autocorrelation
	Autocorrelation
$C_1 = (1 \ 1 \ 0 \ 1 \ 1 \ 1 \ 1 \ 1 \ 0 \ 0 \ $	16 4 0 4 0 -4 0 -4 -16 -4 0 -4 0 4 0 4
C <sub>2</sub> = (1 0 0 0 1 0 1 0 0 1 1 1 0 1 0 1)	16 -4 0 -4 0 4 0 4 -16 4 0 4 0 -4 0 -4
$C_3 = (1 \ 1 \ 1 \ 1 \ 1 \ 0 \ 1 \ 1 \ 0 \ 0 \ $	16 4 0 4 0 -4 0 -4 -16 -4 0 -4 0 4 0 4
$C_4 = (0\ 1\ 0\ 1\ 0\ 0\ 0\ 1\ 1\ 0\ 1\ 0\ 1\ 1\ 0)$	16 -4 0 -4 0 4 0 4 -16 4 0 4 0 -4 0 -4
$C_5 = (0\ 0\ 1\ 1\ 1\ 0\ 1\ 1\ 1\ 1\ 0\ 0\ 0\ 1\ 0\ 0)$	16 4 0 -4 0 4 0 -4 -16 -4 0 4 0 -4 0 4
$C_6 = (0\ 0\ 1\ 0\ 0\ 1\ 0\ 1\ 1\ 1\ 0\ 1\ 1\ 0\ 1)$	16 -4 0 4 0 -4 0 4 -16 4 0 -4 0 4 0 -4
$C_7 = (0\ 1\ 1\ 1\ 0\ 0\ 0\ 0\ 1\ 0\ 0\ 1\ 1\ 1\ 1)$	16 4 0 -4 0 4 0 -4 -16 -4 0 4 0 -4 0 4
$C_8 = (1\ 0\ 1\ 1\ 1\ 0\ 1\ 0\ 0\ 1\ 0\ 0\ 1\ 0\ 1)$	16 -4 0 4 0 -4 0 4 -16 4 0 -4 0 4 0 -4
$C_{\theta} = (0\ 0\ 1\ 1\ 0\ 1\ 1\ 1\ 1\ 1\ 0\ 0\ 1\ 0\ 0)$	16 4 0 4 0 -4 0 -4 -16 -4 0 -4 0 4 0 4
$C_{10} = (0\ 0\ 1\ 0\ 1\ 0\ 0\ 1\ 1\ 1\ 0\ 1\ 0\ 1\ 1\ 0)$	16 -4 0 -4 0 4 0 4 -16 4 0 4 0 -4 0 -4
Cn= (1 1 0 0 0 0 0 1 0 0 1 1 1 1 1 0)	16 4 0 4 0 -4 0 -4 -16 -4 0 -4 0 4 0 4
$C_{12} = (1\ 0\ 1\ 1\ 1\ 0\ 0\ 1\ 0\ 1\ 0\ 0\ 0\ 1\ 1\ 0)$	16 -4 0 -4 0 4 0 4 -16 4 0 4 0 -4 0 -4
$C_{13} = (0\ 1\ 0\ 0\ 0\ 0\ 1\ 1\ 1\ 0\ 1\ 1\ 1\ 1\ 0\ 0)$	16 4 0 -4 0 4 0 -4 -16 -4 0 4 0 -4 0 4
$C_{1} \leftarrow (1\ 0\ 0\ 0\ 1\ 0\ 0\ 1\ 0\ 1\ 1\ 1\ 0\ 1\ 1\ 0)$	16 -4 0 4 0 -4 0 4 -16 4 0 -4 0 4 0 -4
C15= (0 0 0 0 1 0 0 0 1 1 1 1 0 1 1 1)	16 4 0 -4 0 4 0 -4 -16 -4 0 4 0 -4 0 4
C16= (1 0 0 1 0 0 0 1 0 1 1 0 1 1 1 0)	16 -4 0 4 0 -4 0 4 -16 4 0 -4 0 4 0 -4

FIG. 20B

$R(\tau)$ $\tau$	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
$ ext{Re}( au)$	16	4	0	4	0	-4	0	-4	-16	-4	0	-4	0	4	0	4
$ ext{Rf}( au)$	16	-4	0	-4	0	4	0	4	-16	4	0	4	0	-4	0	_4
m Rg( au)	16	4	0	-4	0	4	0	-4	-16	-4	0	4	0	-4	0	4
m Rн $( au)$	16	-4	0	4	0	-4	0	4	-16	4	0	-4	0	4	0	<u>-4</u>

FIG. 20C

			Npilot	= 6					3	Vpilot :	= 8			
Bit #	0	1	2	3	4	5	0	1	2	3	4	5	6	7
Slot #1	1	1	1	1	1	0	1	- 1	1	1	1	1	1	0
2	1	1	0	1	1	1	1	1	1	0	1	1	1	1
3	1	0	0	1	1	0	1	0	1	0	1	1	1	0
4	1	1	0	1	1	1	1	1	1	0	1	1	1	1
5	1	1	1	1	1	0	1	1	1	1	1	1	1	0
6	1	1	0	1	0	0	1	1	1	0	1	0	1	0
7	1	1	1	1	1	0	1	1	1	1	1	1	1	0
8	1	1	0	1	1	1	1	1	1	0	1	1	1	1
9	1	0	0	1	0	1	1	0	1	0	1	0	1	1
10	1	0	1	1	0	0	1	0	1	1	· · 1	0	1	0
11	1	1	1	1	0	1	1	1	1	1	1	0	1	1
12	1	0	1	1	0	0	1	0	1	1	1	0	1	0
13	1	0	0	1	0	1	1	0	1	0	1	0	1	1
14	1	0	1	1	1	1	1	0	1	1	1	1	1	1
15	1	0	0	1	0	1	1	0	1	0	1	0	1	1
16	1	0_	1	1	0	0	1	0	1	1	1	0	1	0

FIG. 20D

Npilots	Pilot bit position #	Corresponding word of length 16
	1	C <sub>1</sub>
6	2	Cz
Ö	4	Сз
	5	C4
	1	C <sub>1</sub>
8	3	C2
Ü	5	Сз
	7	C4

FIG. 20E

Symbol rate	8k	sps	16	,32,64	,128k	sps			25	6,512,1	024k	sps		
Symbol #	0	1	0	1	2	3	0	1	2	3	4	5	6	7
Slot #1	11	11	11	11	11	10	11	11	11	10	- 11	00	11	01
2	11	10	11	10	11	11	11	10	11	11	11	00	11	10
3	11	00	11	00	11	10	11	00	11	10	11	11	11	11
4	11	10	11	10	11	11	11	10	11	11	11	10	11	11
5	11	11	11	11	11	10	11	11	11	10	11	10	11	01
6	11	10	11	10	11	00	11	10	11	00	11	01	11	00
7	11	11	11	11	11	10	11	11	11	10	11	10	11	01
8	11	10	11	10	11	11	11	10	11	11	11	11	11	00
9	11	00	11	00	11	01	11	00	11	01	11	11	11	10
10	11	01	11	01	11	00	11	01	11	00	11	11	11	01
11	11	11	11	11	11	01	11	11	11	01	11	00	11	00
12	11	01	11	01	11	00	11	01	11	00	11	01	11	00
13	11	00	11	00	11	01	11	00	11	01	11	01	11	10
14	11	01	11	01	11	11	11	01	11	11	11	10	11	11
15	11	00	11	00	11	01	11	00	11	01	11	01	11	10
16	11	01	11	01	11	00	11	01	11	00	11	00	11	11

`

FIG. 20F

Symbol rate						20	48,40	96ksp	s							
Symbol #	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Slot #1	11	11	11	10	11	00	11	01	11	00	11	11	11	01	11	01
2	11	10	11	11	11	00	11	10	11	00	11	10	11	10	11	00
3	11	00	11	10	11	11	11	11	11	11	11	01	11	00	11	00
4	11	10	11	11	11	10	11	11	11	10	11	01	11	00	11	01
5	11	11	11	10	11	10	11	01	11	01	11	01	11	01	11	10
6	11	10	11	00	11	01	11	00	11	10	11	00	11	00	11	00
7	11	11	11	10	11	10	11	01	11	10	11	00	11	10	11	00
8	11	10	11	11	11	11	11	00	11	11	11	11	11	11	11	01
9	11	00	11	01	11	11	11	10	11	11	11	00	11	10	11	10
10	11	01	11	00	11	11	11	01	11	11	11	01	11	01	11	11
11	11	11	11	01	11	00	11	00	11	00	11	10	11	11	11	11
12	11	01	11	00	11	01	11	00	11	01	11	10	11	11	11	10
13	11	00	11	01	11	01	11	10	11	10	11	10	11	10	11	01
14	11	01	11	11	11	10	11	11	11	01	11	11	11	11	11	11
15	11	00	11	01	11	01	11	10	11	01	11	11	11	01	11	11
16	11	01	11	00	11	00	11	11	11	00	11	00	11	00	11	10

FIG. 20G

Symbol rate	Symbol #	Channel	Corresponding word of length 16
8ksps	1	I - CH	Cı
oksps	1	Q - CH	C2
	1	I - CH	Cı
16, 32, 64, 128ksps	1	Q - CH	C2
10, 5c, 04, 1c0K505	3	I - CH	Сз
	ა 	Q - CH	C4
·	4	I – CH	C1
	1	Q - CH	C2
	3	I - CH	Сз
256, 512, 1024ksps	3	Q - CH	C4
200, 012, 10248343	<b>c</b>	I – CH	C5
	5	Q - CH	Св
	7	I - CH	C7
	,	Q - CH	Св
	1	I - CH	Cı
	1	Q - CH	C2
	3	I - CH	Св
	J	Q - CH	C4
	5	I - CH	C <sub>5</sub>
	<u> </u>	Q - CH	Св
	7	I - CH	C 7
2048,4096ksps	· ·	Q - CH	Св
2040,4090KSPS	9	I - CH	Сэ
		Q - CH	C 10
	11	I – CH	Сп
	11	Q - CH	C 12
	10	I - CH	C 13
	13	Q - CH	C14
	15	I – CH	C 15
	10	Q - CH	C 18

FIG. 20H

Symbol #	0	1	2	3
Slot #1	11	11	11	10
2	11	10	11	11
3	11	00	11	10
4	11	10	11	11
5	11	11	11	10
6	11	10	11	00
7	11	11	11	10
8	11	10	11	11
9	11	00	11	01
10	11	01	11	00
11	11	11	11	01
12	11	01	11	00
13	11	00	11	01
14	11	01	11	11
15	11	00	11	01
16	11	01	11	00

FIG. 20I

Symbol #	Channel	Corresponding word of length 16
1	I-CH	Cı
	Q-CH	Cz
Q	I-CH	Сз
,	Q-CH	C4

FIG. 21

	Frame Synchronization Words								
L=15 , Slot No.	1 2 3 415								
	$C_1 = (1 \ 0 \ 0 \ 0 \ 1 \ 1 \ 1 \ 1 \ 0 \ 1 \ 0 \ 1 \ 1$								
	$C_2 = (1 \ 0 \ 1 \ 0 \ 0 \ 1 \ 1 \ 0 \ 1 \ 1 \ $								
	$C_3 = (1 \ 1 \ 0 \ 0 \ 0 \ 1 \ 0 \ 0 \ 1 \ 1 \ $								
	$C_4 = (0\ 0\ 1\ 0\ 1\ 0\ 0\ 0\ 0\ 1\ 1\ 1\ 0\ 1\ 1)$								
	$C_5 = (1 \ 1 \ 1 \ 0 \ 1 \ 0 \ 1 \ 1 \ 0 \ 0 \ $								
	$C_8 = (1\ 1\ 0\ 1\ 1\ 1\ 0\ 0\ 0\ 0\ 1\ 0\ 1\ 0\ 0)$								
	$C_7 = (1\ 0\ 0\ 1\ 1\ 0\ 1\ 0\ 1\ 1\ 1\ 1\ 0\ 0\ 0)$								
	Ca = (0 0 0 0 1 1 1 0 1 1 0 0 1 0 1)								

FIG. 22A




FIG. 22B  $R_{1,2}(\tau) + R_{2,1}(\tau+1)$  2 0 7 -2 \* L(-30)

FIG. 22C




FIG. 22D




FIG. 23A

	Npilot	= 2	N	pilot =	3		Npilot	= 4	
Bit #	0	1	0	1	2	0	1	2	3
Slot #1	1	1	1	1	1	1	1	1	1
2	0	0	0	1	0	1	0	1	0
3	0	1	0	1	1	1	0	1	1
4	0	0	0	1	0	1	0	1	0
5	1	0	1	1	0	1	1	1	0
6	1	1	1	1	1	1	1	1	1
7	1	1	1	1	i	1	1	1	1
8	1	0	1	1	0	1	1	1	0
9	0	1	0	1	1	1	0	1	1
10	1 .	1	1	1	1	1	1	1	1
11	0	1	0	1	1	1	0	1	1
12	1	0	1	1	0	1	1	1	0
13	1	0	1	1	0	1	1	1	0
14	0	0	0	1	0	1	0	1	0
15	0	0	0	1	0	1	0	1	0

FIG. 23B

Npilot	Pilot bit position #	Corresponding word of length 15
2	0	C <sub>1</sub>
2	1	C2
2	0	Cı
3	2	C2
4	1	Cı
4	3	C2

FIG. 23C

	Npilot	= 2	N	pilot =	3		Npilot	= 4	
Bit #	0	1	0	1	2	0	1	2	3
Slot #1	1	1	1	1	1	1	1	1	1
2	1	0	0	1	0	1	0	1	0
3	1	1	0	1	1	1	0	1	1
4	1	0	0	1	0	1	0	1	0
5	1	0	1	1	0	1	1	1	0
6	1	1	1	1	1	1	1	1	1
7	1	1	1	1	1	1	1	1	1
8	1	0	1	1	0	1 :	1	1	0
9	1	1	0	1	1	1	0	1	1
10	1	1	1	1	1	1	1	1	1
11	1	1	0	1	1	1	0	1	1
12	1	0	1	1	0	1	1	1	0
13	1	0	1	1	0	1	1	1	0
14	1	0	0	1	0	1	0	1	0
15	1	0	0	1	0	1	0	1	0

FIG. 23D

Npilot	Pilot bit position #	Corresponding word of length 15
2	1	C <sub>1</sub>
2	0	C <sub>1</sub>
J	2	C <sub>2</sub>
4	1	C <sub>1</sub>
4	3	C2

FIG. 23E

		N	pilot =	= 5	,			Npiloi	= 6	-	
Bit #	0	1	2	3	4	0	1	2	3	4	5
Slot #1	1	1	1	1	0	1	1	1	1	1	0
2	0	0	1	1	0	1	0	0	1	1	0
3	0	1	1	0	1	1	0	1	1	0	1
4	0	0	1	0	0	1	0	0	1	0	0
5	1	0	1	0	1	1	1	0	1	0	1
6	1	1	1	1	0	1	1	1	1	1	0
7	1	1	1	0	0	1	1	1	1	0	0
8	1	0	1	0	0	1	1	0	1	0	0
9	0	1	1	1	0	1	0	1	1	1	0
10	1	1	1	1	1	1	1	1	1	1	1
11	0	1	1	0	1	1	0	1	1	0	1
12	1	0	1	1	1	1	1	0	1	1	1
13	1	0	1	0	0	1	1	0	1	0	0
14	0	0	1	1	1	1	0	0	1	1	1
15	0	0	1	1	1	1	0	0	1	1	1

FIG. 23F

			N	pilot 7						1	√pilot :	= 8			
Bit #	0	1	2	3	4	5	6	0	1	2	3	4	5	6	7
Slot #1	1	1	1	1	1	0	1	1	1	1	1	1	1	1	0
2	1	0	0	1	1	0	1	1	0	1	0	1	1	1	0
3	1	0	1	1	0	1	1	1	0	1	1	1	0	1	1
4	1	0	0	1	0	0	1	1	0	1	0	1	0	1	0
5	1	1	0	1	0	1	1	1	1	1	0	1	0	1	1
6 ·	1	1	1	1	1	0	1	1	1	1	1	1	1	1	0
7	1	1	1	1	0	0	1	1	1	1	1	1	0	1	0
8	1	1	0	1	0	0	1	1	1	1	0	1	0	1	0
9	1	0	1	1	1	0	1	1	0	1	1	1	1	1	0
10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
11	1	0	1	1	0	1	1	1	0	1	1	1	0	1	1
12	1	1	0	1	1	1	1	1	1	1	0	1	1	1	1
13	1	1	0	1	0	0	1	1	1	1	0	1	0	1	0
14	1	0	0	1	1	1	1	1	0	1	0	1	1	1	1
15	1	0	0	1	1	1	1	1	0	1	0	1	1	1	1

FIG. 23G

Npilot	Pilot bit position #	Corresponding word of length 15
	0	Cı
5	1	C2
J	3	Сз
	4	C4
	1	C <sub>1</sub>
6	2	Cz
U	4	Сз
	5	C4
	1	Cı
7	2	C2
1	4	Сз
	5	C4
	1	C <sub>1</sub>
8	3	C2
U	5	Сз
	7	C4

FIG. 23H




FIG. 23I

Channel Bit Rate(kbps)	Channel Symbol Rate(ksps)	SF	Bits/ Frame	Bits/ Slot	N pilot	N teci
15	15	256	150	10	8	2

FIG. 23J

Bit #	0	1	2	3	4	5	6	7
Slot #1	1	1	1	1	1	1	1	0
2	1	0	1	0	1	1	1	0
3	1	0	1	1	1	0	1	1
4	1	0	1	0	1	0	1	0
5	1	1	1	0	1	0	1	1
6	1	1	1	1	1	1	1	0
7	1	1	1	1	1	0	1	0
8	1	1	1	0	1	0	1	0
9	1	0	1	1	1	1	1	0
10	1	1	1	1	1	1	1	1
11	1	0	1	1	1	0	1	1
12	1	1	1	0	1	1	1	1
13	1	1	1	0	1	0	1	0
14	1	0	1	0	1	1	1	1
15	1	0	1	0	1	1	1	1

FIG. 24A

	Npiiot = 2	Npilot	= 4		Npilot	= 8				Npilot :	= 16				
Symbol #	0	0	1	0	1	2	3	0	1	2	3	4	5	6	7
Slot #1	11	11	11	11	11	11	10	11	11	11	10	11	11	11	10
2	00	11	00	11	00	11	10	11	00	11	10	11	11	11	00
3	01	11	01	11	01	11	01	11	01	11	01	11	10	11	00
4	00	11	00	11	00	11	00	11	00	11	00	11	01	11	10
5	10	11	10	11	10	11	01	11	10	11	01	11	11	11	11
6	11	11	11	11	11	11	10	11	11	11	10	11	01	11	01
7	11	11	11	11	11	11	00	11	11	11	00	11	10	11	11
8	10	11	10	11	10	11	00	11	10	11	00	11	10	11	00
9	01	11	01	11	01	11	10	11	01	11	10	11	00	11	11
10	11	11	11	11	11	11	11	11	11	11	11	11	00	11	11
11	01	11	01	11	01	11	01	11	01	11	01	11	11	11	10
12	10	11	10	11	10	11	11	11	10	11	11	11	00	11	10
13	10	11	10	11	10	11	00	11	10	11	00	11	01	11	01
14	00	11	00	11	00	11	11	11	00	11	11	11	00	11	00
15	00	11	00	11	00	11	11	11	00	11	11	11	10	11	01

FIG. 24B

Symbol rate	Symbol #	Channel	Corresponding word of length 15
N - 2	0	I-CH	Cı
$N_{pilot} = 2$	0	Q-CH	C2
N <sub>pilot</sub> = 4	1	- I-CH	C <sub>1</sub>
11 pliot — 4	1	Q-CH	C2
	1	I-CH	C <sub>1</sub>
$N_{pilot} = 8$	<u> </u>	Q-CH	C2
Pilot — O	3	I-CH	C3
	3	Q-CH	C4
	1	I-CH	Cı
	1	Q-CH	C2
	3	I-CH	Сз
$N_{pilot} = 16$	J	Q-CH	C4
phot - 3	5	I-CH	Съ
		Q-CH	Св
	7	I-CH	C <sub>7</sub>
		Q-CH	Ca

FIG. 24C

	Npilot	= 4		Npilot	= 8				N	pilot =	= 16			
Symbol #	0	1	0	1	2	3	0	1	2	3	4	5	6	7
Slot #1	01	10	11	00	00	10	11	00	00	10	11	00	00	10
2	10	10	11	00	00	01	11	00	00	01	11	10	00	10
3	11	10	11	11	00	00	11	11	00	00	11	10	00	11
4	10	10	11	10	00	01	11	10	00	01	11	00	00	00
5	00	10	11	11	00	11	11	11	00	11	11	01	00	10
6	01	10	11	00	00	10	11	00	00	10	11	11	00	00
7	01	10	11	10	00	10	11	10	00	10	11	01	00	11
8	00	10	11	10	00	11	11	10	00	11	11	10	00	11
9	11	10	11	00	00	00	11	00	00	00	11	01	00	01
10	01	10	11	01	00	10	11	01	00	10	11	01	00	01
11	11	10	11	11	00	00	11	11	00	00	11	00	00	10
12	00	10	11	01	00	11	11	01	00	11	11	00	00	01
13	00	10	11	10	00	11	11	10	00	11	11	11	00	00
14	10	10	11	01	00	01	11	01	00	01	11	10	00	01
15	10	10	11	01	00	01	11	01	00	01	11	11	00	11

FIG. 24D

Symbol rate	Symbol #	Channel	Corresponding word of length 15
N - 4	0	I-CH	-C <sub>1</sub>
$N_{pilot} = 4$		Q-CH	C2
	1	I-CH	—Сз
N - 0	1	Q-CH	C4
N <sub>pilot</sub> = 8	3	I-CH	C <sub>1</sub>
	J	Q-CH	-C2
	1	I-CH	—Сз
	1	Q-CH	C4
	3	I-CH	Cı
N <sub>pilot</sub> = 16	J	Q-CH	—C2
F	5	I-CH	-C7
	J	Q-CH	Св
	7	I-CH	C5
		Q-CH	—Св

FIG. 25A

		Npilot	= 8				N	pilot =	16			
Symbol #	0	1	2	3	0	1	2	3	4	5	6	7
Slot #1	11	11	11	10	11	11	11	10	11	11	11	10
2	11	00	11	10	11	00	11	10	11	11	11	00
3	11	01	11	01	11	01	11	01	11	10	11	00
4	11	00	11	00	11	00	11	00	11	01	11	10
5	11	10	11	01	11	10	11	01	11	11	11	11
6	11	11	11	10	11	11	11	10	11	01	11	01
7	11	11	11	00	11	11	11	00	11	10	11	11
8	11	10	11	00	11	10	11	00	11	10	11	00
9	11	01	11	10	11	01	11	10	11	00	11	11
10	11	11	11	11	11	11	11	11	11	00	11	11
11	11	01	11	01	11	01	11	01	11	11	11	10
12	11	10	11	11	11	10	11	11	11	00	11	10
13	11	10	11	00	11	10	11	00	11	01	11	01
14	11	00	11	11	11	00	11	11	11	00	11	00
15	11	00	11	11	11	00	11	11	11	10	11	01

FIG. 25B

Symbol rate	Symbol #	Channel	Corresponding word of length 15
	1	I-CH	C <sub>1</sub>
N - 0	1	Q-CH	C2
N <sub>pilot</sub> = 8	3	I-CH	Сз
	3	Q-CH	C4
	1	I-CH	C <sub>1</sub>
	1	Q-CH	C2
	3	I-CH	Сз
N <sub>pilot</sub> = 16	၂	Q-CH	C4
1. phot	5	I-CH	C5
	)	Q-CH	Св
	7	I-CH	C <sub>7</sub>
		Q-CH	Св

FIG. 25C

		Npilot	= 8				N	pilot =	16			
Symbol #	0	1	2	3	0	1	2	3	4	5	6	7
Slot #1	11	00	00	10	11	00	00	10	11	00	00	10
2	11	00	00	01	11	00	00	01	11	10	00	10
3	11	11	00	00	11	11	00	00	11	10	00	11
4	11	10	00	01	11	10	00	01	11	00	00	00
5	11	11	00	11	11	11	00	11	11	01	00	10
6	11	00	00	10	11	00	00	10	11	11	00	00
7	11	10	00	10	11	10	00	10	11	01	00	11
8	11	10	00	11	11	10	00	11	11	10	00	11
9	11	00	00	00	11	00	00	00	11	01	00	01
10	11	01	00	10	11	01	00	10	11	01	00	01
11	11	11	00	00	11	11	00	00	11	00	00	10
12	11	01	00	11	11	01	00	11	11	00	00	01
13	11	10	00	11	11	10	00	11	11	11	00	00
14	11	01	00	01	11	01	00	01	11	10	00	01
15	11	01	00	01	11	01	00	01	11	11	00	11

FIG. 25D

Symbol rate	Symbol #	Channel	Corresponding word of length 15
	1	I-CH	—Cз
M _ 0	1	Q-CH	C₄
N <sub>pilot</sub> = 8	3	I-CH	C <sub>1</sub>
	J	Q-CH	– C2
	1	I-CH	—Сз
	1	Q-CH	C4
	3	I-CH	Cı
N <sub>pilot</sub> = 16	٥	Q-CH .	-C2
phoe	5	I-CH	-С7
	J	Q-CH	Са
	77	I-CH	C5
	•	Q-CH	-Св

FIG. 26A

Parameters	Uplink
Number of slots per frame	15
Number of bits in the DPCCH(Pilot/TPC/TFCI/FBI)	6/2/2/0
Number of bits in the DPDCH per each slot	10
Spreading factor (DPDCH)	256
Spreading factor (DPCCH)	256
Modulation	HPSK
3dB bandwidth	3.84MHz
Shaping filter	Root raised cosine (roll off 0.22)
Power amplifier	Ideal
Propagation channel	AWGN

FIG. 26B







FIG. 26C



1		
Item	15 slots	16 slots
No. of slots per frame	15	91
No. of N <sub>pitat</sub> per slot	1)Uplink	1)Uplink
	2,3,4,5,6,7,8	5,6,7,8
	2)Downlink	2)Downlink
	2,4,8,16	4,8,16,32
Slot-Slot possible?	Yes	Yes
Double-check possible?	Yes	Yes
	(Two correllors such as auto-correlator   (Auto-correlator)	(Auto-correlator)
	and cross-correlator are used)	
Single frame synchronization word can be used for frame synchronization?	Single frame synchronization  Word can be used for frame  Word has-1 out-of-phase coefficients synchronization?	May not be feasible because of +4 or -4 out-of-phase coefficients. The +4 or -4 side lobes can be zero through some particular processing using preferred pair of frame synchronization words.
Frame synchronization words	All 8 frame synchronization words are made out of a single PN code	All 8 frame synchronization words have +4 or -4 out-of-phase coefficient and minus peak value at middle shift.
Autocorrelation function	$R(\tau) = 15, \ \tau = 0$	$R(\tau)=16, \tau=0$
	N(1)1, Eisemilere	$R(\gamma)=0,+4$ , or $-4$ , elsewhere








FIG. 29




FIG. 30




FIG. 31B

